

**Appl. No. 09/787,632  
Amdt. dated December 8, 2003  
Reply to Office Action of October 16, 2003**

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

1 - 6 (Canceled)

2  
~~7.~~ (Previously Amended) The fungicidal composition of claim ~~22~~ further comprising another fungicidal active material.

3  
~~11.~~ (Previously Amended) The fungicidal composition of claim ~~22~~ further comprising an agriculturally suitable inert support and optionally an agriculturally suitable surfactant.

4  
~~12.~~ (Previously Amended) The fungicidal composition of claim ~~22~~ comprising from 0.5 to 99% of the combination of compound (I) and compound (II).

5  
~~13.~~ (Previously Amended) A process for controlling the phytopathogenic fungi of crops in an area, which consists in applying a compound (I) and a compound (II) as defined in claim ~~22~~ to said area.

**Appl. No. 09/787,632**  
**Amdt. dated December 8, 2003**  
**Reply to Office Action of October 16, 2003**

*b* 14. (Previously Amended) A process for controlling the phytopathogenic fungi of crops of the phytophtora and plasmopara genera comprising applying an effective and non-phytotoxic amount of the fungicidal composition of claim *22* onto the crops to be treated.

*7* 15. (Original) A process as claimed in claim *14*, characterized in that the fungicidal composition is applied by spraying a liquid onto the aerial parts of the crops to be treated.

*8* 16. (Previously Amended) The process as claimed in claim *14*, characterized in that the amount of fungicidal composition corresponds to a dose of compound (I) of between 10 and 500 g/ha.

*9* 17. (Previously Amended) The process as claimed in claim *14*, characterized in that the amount of fungicidal composition corresponds to a dose of compound (II) of between 10 and 500 g/ha.

18. (Canceled)

*10* 19. (Original) The fungicidal composition as claimed in claim *7*, wherein said another fungicidal active material is iprodione.

**Appl. No. 09/787,632**

**Amdt. dated December 8, 2003**

**Reply to Office Action of October 16, 2003**

11 20. (Original) The process as claimed in claim 16, wherein the amount of the fungicidal composition corresponds to a dose of compound (I) of between 20 and 300 g/ha.

12 21. (Original) The process as claimed in claim 17, wherein the amount of the fungicidal composition corresponds to a dose of compound (II) of between 20 and 300 g/ha.

13 22. (Previously Added) A fungicidal composition comprising a synergistic fungicidally effective amount of:

- A) compound (I), (4-S)-4-methyl-2-methylthio-4-phenyl-1-phenylamino-2-imidazolin-5-one,  
and
- B) compound (II), N<sup>1</sup>-[(R)-1-(6-fluoro-2-benzothiazolyl)ethyl]-N<sup>2</sup>-isopropoxycarbonyl-L-valinamide,

wherein the ratio of the weight of compound (I) to the weight of compound (II) is in the range of from 5 to 0.5.

13 23. (Previously Added) A process for controlling the phytopathogenic fungi of crops of the *Phytophthora infestans* and *Plasmopara viticola* species comprising applying to said species an effective and non-phytotoxic amount of the fungicidal composition comprising:

- A) compound (I), (4-S)-4-methyl-2-methylthio-4-phenyl-1-phenylamino-2-imidazolin-5-one,  
and

**Appl. N . 09/787,632**  
**Amdt. dated December 8, 2003**  
**Reply to Office Action of October 16, 2003**

B) compound (II), N<sup>1</sup>-[(R)-1-(6-fluoro-2-benzothiazolyl)ethyl]-N<sup>2</sup>-isopropoxycarbonyl-L-valinamide,

wherein the ratio of the weight of compound (I) to the weight of compound (II) is in the range of from 2 to 4 onto the crops to be treated.